

Additional savings  
of up to 20% off fuel bills



...with advanced boiler controls from  
Viessmann

# Save for the Future with Viessmann



With ever increasing fuel bills and the need to be as eco-friendly as possible, it's important that we all look for ways to save fuel and carbon emissions – and money!

New boilers now have to be condensing boilers and this represents a huge step forward in environmentally friendly heating, with fuel savings of up to 35% compared to conventional boilers.

But there is a way to save even more – up to 20% in fact, with just a simple outdoor sensor and some very clever weather compensation controls, available with the Vitodens range of condensing boilers.

For a relatively small investment you'll not only save up to 20% more fuel each year but you'll also enjoy an incredibly comfortable home – with a pleasant indoor climate – whatever the weather.

## Heating - The Basics


Our homes need heating, to overcome the temperature differential between indoors and outdoors and to replace heat lost through the walls etc. The colder it is outside, the more heat is lost and the more we have to heat the building, to replace that heat, especially in the winter, when the amount of heat loss is at its highest level.

This basic explanation is fundamental to understanding how weather compensation can help to heat your home in a more efficient and cost-effective way.

Weather compensation controls work by ensuring that the boiler burns the right amount of fuel required to match the heat lost from the building. The house will always maintain the desired temperature for maximum comfort, with no need for room thermostats.

## Conventional Controls

Traditional heating systems have a room thermostat indoors and this is the sequence that follows a fall in temperature.




In the above example, it isn't until stage 4 that the boiler gets any 'feedback' and is able to respond to changing conditions. The chances are that at this stage, the householder will be feeling the cold and will turn the thermostat up even further - wasting even more fuel.

If the outside temperature rises, the boiler will not respond until the rooms have become uncomfortably warm - so in addition to adjusting the thermostat, there'll probably be the temptation to open some windows, releasing more heat and wasting more energy.

With a weather compensation system, the boiler is able to respond at stage 1 - see opposite.

# Weather Compensation Controls



## How does it work?

A small temperature sensor is located on the outside of the building, normally on a north facing wall. This is wired to the internal controls of the boiler and information about the outside temperature is sent to the boiler every few seconds.

When the temperature changes outside the boiler responds and starts to increase or decrease the radiator temperature to compensate. This pro-active mechanism means that people inside the building won't even notice that the temperature has changed outside.

For example, when the outside temperature drops in the evening, more heat is lost through the walls of the building. Because the outdoor sensor detects the fall as soon as it happens, the boiler is able to start working a little harder to increase the radiator temperature and keep the inside temperature stable. With a conventional system, the temperature is dependent on a room thermostat, which will only take effect after the inside of the building has become too hot or too cold.

In summary, weather compensation controls enable the boiler to respond to outside temperatures changes and quickly adjust the radiator output, to maintain a constant temperature indoors.

The above diagram helps to demonstrate how this compares to a heating system without weather compensation – where the boiler runs very hot then very cold as it constantly 'plays catch up' to achieve the desired room temperature.

As with most conventional heating systems, different room temperatures throughout the house are achieved by setting the required levels on individual radiator thermostats.

## Maximising the condensing effect


Condensing boilers have dramatically increased the efficiency of home heating systems, by recovering latent heat in the flue gases. For a condensing boiler to achieve the high levels of efficiency it is capable of, it needs to condense for as long as possible. An outdoor weather sensor can help the boiler operate at lower temperatures, meaning it can condense for longer.

## How does it help the boiler to condense longer?

For a condensing boiler to actually condense the water vapour in the flue gas, the return water temperature needs to be at or below 57°C (dew point). Without weather compensation controls this may not be the case, with most boilers operating with a flow temperature of around 80°C. This results in a return temperature of around 65°C - too high for condensation to occur.

Advanced controls, with an outdoor weather sensor enable the boiler to make constant, small adjustments to the flow temperature, ensuring that the boiler runs as hot as it needs to – but no hotter. By achieving a flow temperature a few degrees lower than 'normal' the return temperature is lower, the boiler condenses for longer, operates more efficiently and thus saves fuel.

With weather compensation controls the boiler will be able to run at a lower temperature for around 80% of the year, whilst maintaining warm, comfortable temperatures all year round.




### Standard weather compensation controls

The curve demonstrates how the boiler temperature adjusts in response to changes in the outside temperature.

As the heating curve shows, if the outside temperature is close to freezing the boiler will run at a flow temperature of around 65°C, which ensures a low return temperature, enabling the boiler to condense. If the outside temperature increases, the set flow temperature reduces accordingly, to maintain comfort and increase fuel savings.

In this case the slope and shape of the curve are fixed, but it is possible to position (or shift) the heating curve so that the boiler achieves and maintains the preferred temperature of the householder.



### Advanced Weather Compensation Controls

This type of boiler control is very sophisticated in that the slope of the heating curve can be adjusted to suit not only the householder, but also the type of building construction.

For example a very well insulated house will lose far less heat than an older house and will not require the boiler to work so hard when the outside temperature drops - so a flatter heating curve will achieve the desired room temperature for such a building. A badly insulated house will experience high heat loss in the winter and require a steeper heating curve to compensate.

Once again the position of the heating curve is set according to the householder's heat requirement in terms of personal comfort. Vitotronic controls also feature a night set-back function to maximise comfort and savings.

### Setting the heating curve

When the advanced controls are fitted, the heating curve setting should be selected according to the type of house. For a well insulated new house, the curve will need to be set at around 1.3 to 1.4. An older house, with less insulation and single glazing, would need a curve of around 2.2 to 2.3.

This setting can be adjusted and 'fine tuned' by the householder. If the temperature proves to be too high, then the value of the curve should be lowered. If the house is too cold in the winter months, more heat is being lost than expected and a steeper curve (higher value) should be selected.



## Weather Compensation Controls

With weather compensation the sequence of events changes considerably:



In this example, as soon as the outside temperature rises, the boiler is able to respond instantly because the sensor is continually sending information to the boiler.

If the outside temperature falls, the boiler will automatically run the radiators at a higher temperature, to maintain the correct level. The small, constant adjustments mean that the radiators should feel warm, rather than hot, then cold.

The householder will be unaware of these small constant adjustments and does not have to touch any controls or thermostats to enjoy a constant, comfortable temperature.

## What does it mean to the householder?

**Lower fuel bills** - save up to 20% of your annual fuel bill – that's on top of the savings you'll make by changing a conventional boiler for a condensing boiler.

**A comfortable home** - a constant temperature is maintained inside, despite what the weather's doing outside.

**You won't even notice the changes** - because the system is pro-active, rather than reactive, you won't notice the subtle temperature changes. You certainly won't be feeling the cold and don't need to worry about adjusting a room thermostat.

**An even quieter boiler** - if you've already got a Viessmann boiler, you'll know that they operate incredibly quietly. With weather compensation the boiler should fire so infrequently that for the first few months you'll probably keep checking it's still on!

**Cooler radiators** - a good sign that the weather compensation is working well is that the radiators will feel warm, but won't get very hot, then cool. This is because the small adjustments mean that a steady temperature is maintained, with few fluctuations.

**Piping hot water** - even though the radiator temperature is kept low, you have the reassurance that, at the same time, the temperature of water in the cylinder is maintained, for piping hot water when required.

Lots of additional control features and functions – see back page



### Weather Compensation Controls from Viessmann

Weather compensation controls are available on most Vitodens domestic boilers – either as an optional extra, or already built in. There are 2 versions:

#### Standard Weather Compensation Controls

Vitodens 100-W System and Combi Plus models are pre-wired to connect to a weather compensation sensor, which is available as an optional accessory.

### Advanced Weather Compensation Control - The Vitotronic 200

This advanced control is available as an optional extra for the Vitodens 200-W and the Vitodens 333-F storage combi. The control is fitted as standard in the Vitodens 343-F heating tower.

Vitotronic 200 controls are highly responsive, for increased efficiency and maximum savings. There are also a number of added features for comfort and convenience, including a Party button, which extends the heating period to keep the house warmer without having to alter the settings. A Holiday setting enables you to key in your holiday dates and while you're away the boiler will run a frost protection program instead of your normal heating settings. It will then warm up the house before you return. The Economy setting is a quick and easy way to turn the temperature down if you're leaving the house for a few hours.

Additional features include:

- Easy installation, commissioning and maintenance, with integrated diagnostics
- Service interval display
- Digital time switch for selecting daily or weekly programs & illuminated operating program switches
- Automatic summer/winter changeover
- Integral control unit for one mixer circuit
- Integral remote monitoring & operation interfaces.

#### Training

If you want to learn how to get the most from weather compensation controls, call 01952 675000 for details of free installer training.

For more information please visit  
[www.viessmann.co.uk](http://www.viessmann.co.uk)

**VIESSMANN**  
climate of innovation